
PRODUCT DATASHEET | PWCEEW532

CEE SURFACE-MOUNTED SOCKET OUTLET 5-POLE 32A IP44 RED





a	96	e	26
b	102	f	152
c	84	g	113
d	56	Øh	5,3
		M	M32x1,5









DESCRIPTION

Power CEE socket outlet surface-mounted 5-pole 32 amp. Splashproof IP44. All products in the Power CEE range are VDE certified and thus comply with the European standard IEC 60309-1:2021, which guarantees a safe connection. For the permitted conductor cross-sections, please refer to the appendix Power CEE - Cable specifications. All products in the Power CEE series are lead-free and thus comply with the European RoHS Directive 2011/65/EU & 2015/863/EU.

SPECIFICATIONS

Brand:	Power
Product type:	CEE wall outlet
Model:	Construction
IEC current:	32 A
Number of poles:	5
Voltage according to EN 60309-2:	380-415 V (50+60 Hz) red
Hours:	6 h
Feature color:	Red
Housing color:	Other
Degree of protection (IP):	IP44
Connection technology:	Screw Clamp
Cable Entry:	Screw gland
Material:	Plastic
Contact Equipment:	CuZn
Surface treatment contacts:	Galvanized
Attachment method:	Exterior mount

ACCESSORIES

Article	Description
PWCEES532	CEE plug 5-pole 32A IP44 red

DOWNLOADS AVAILABLE FROM WEBSITE

VDE Certificate

RoHS certificate

Cable specifications