



PRODUCT DATASHEET | KWH1098DZT

DZT6299-1 100A 71.5MM MID 400V 50HZ



DESCRIPTION

DIN-rail kWh meter with digital backlit display. MID certified, suitable for third-party settlement. Suitable for use with solar panels. This meter records only what the solar panel generates. You need to connect the power supply of the solar panel in a similar way, as in a standard KWH meter installation.



SPECIFICATIONS

Brand:	Inepro
Product type:	3 phase MID
Type of meter:	Electronic
Nom. current (In) :	5 A
Max current (Imax):	100 A
Nominal voltage (Un) N-L :	230 - 400 V
Frequency:	50 Hz
Accuracy class:	B
Pool type:	Four-Leader
Model:	Direct measurement
Energy type:	Work Capability
Suitable for:	Decrease
Rate implementation:	Single rate
Measurement type load curve:	No
Backstop:	No
Calibrated:	Yes
Approval:	Measuring Instruments Directive
Pulse output:	Electric
Pulse type:	S0
Pulse rate:	1000 Imp/kWh (kvarh)
Type of indication:	Digital
Mounting method:	DRA (DIN rail adapter)
Width in module units:	4
Implementation of the interface:	No
EDL40 signature:	No
With locking code:	Yes
Number of positions total (counting):	8
Degree of protection (IP):	IP51



DOWNLOADS AVAILABLE FROM WEBSITE

Datasheet

Manual
