






PRODUCT DATASHEET | 319105

ESWM5 ISOLATING SWITCH 3P+HC. 160A/415V FL21 GRAY IP65





DESCRIPTION



SPECIFICATIONS

Brand:	Norwesco
Product type:	ESWM5 3p 160 amp circuit breaker
Design as a main switch:	Yes
Version as a working switch:	Yes
Design as a safety switch:	Yes
Version as an emergency stop device:	No
Version as a reversing switch:	No
Max. rated operating voltage Ue at AC :	415 V
Nom. continuous current Iu :	160 A
Rated power, AC-23, 400 V :	75 kW
Conditional rated short-circuit current Iq :	50 kA
Number of poles:	4
Motor drive optional:	No
Motor drive integrated:	No
Shutdown coil optional:	No
Device construction form:	Complete device built into housing
Suitable for ground mounting:	No
Suitable for front mounting 4-hole:	Yes
Suitable for front mounting centrally:	Yes
Suitable for distributor installation:	No
Suitable for intermediate construction:	Yes
Control element color:	Black
Implementation of the control element:	Door clutch rotary actuator
Lockable:	Yes
Main circuit connection method:	Screw connection
Degree of protection front (IP):	IP65



Degree of protection (NEMA).: 4

DOWNLOADS AVAILABLE FROM WEBSITE

Datasheet
