




## PRODUCT DATASHEET | MAR13000DIMBL

MARAMA TABLE LAMP 2W 3,000K DIMMABLE 35CM IP54 BLACK




## DESCRIPTION

The Marama designer table lamp has an elegant, essential design made of aluminum. With this, the Marama fits perfectly into both modern and classic environments.

The Marama is available in two versions, a warm 3,000K or a dim-to-warm version 4,000K~1,800K. A touch on the top of the diffuser switches on/off and controls the light intensity. With the dim-to-warm version, you can use the same "touch" to select the desired temperature.

The Marama is cordless and can be charged via USB C. The battery lasts about 5 days in the lowest light mode.





## SPECIFICATIONS

|                                                            |                            |
|------------------------------------------------------------|----------------------------|
| <b>Brand:</b>                                              | Duralamp                   |
| <b>Product type:</b>                                       | Table Lamp                 |
| <b>Type of lighting fixture:</b>                           | Desk Lamp                  |
| <b>Mounting method:</b>                                    | Standard (foot)            |
| <b>Suitable for wall mounting:</b>                         | No                         |
| <b>Suitable for wall mounting:</b>                         | No                         |
| <b>Directable:</b>                                         | No                         |
| <b>Bendable:</b>                                           | No                         |
| <b>Adjustable height:</b>                                  | No                         |
| <b>Lamp type:</b>                                          | LED not interchangeable    |
| <b>With light source:</b>                                  | Yes                        |
| <b>Suitable for number of light sources:</b>               | 1                          |
| <b>Lampholder:</b>                                         | Other                      |
| <b>Housing material:</b>                                   | Aluminum                   |
| <b>Housing color:</b>                                      | Black                      |
| <b>Material cover:</b>                                     | Plastic opal               |
| <b>Cover color:</b>                                        | White                      |
| <b>Voltage type:</b>                                       | DC                         |
| <b>Nom. voltage :</b>                                      | 5 V                        |
| <b>Driver included:</b>                                    | Yes                        |
| <b>Dimmable 0-10 V:</b>                                    | Yes                        |
| <b>Light distributor:</b>                                  | Diffuser lens/optics/panel |
| <b>Nom. life L70/B50 at 25 °C :</b>                        | 12000 h                    |
| <b>With switch:</b>                                        | Yes                        |
| <b>Protection class according to IEC 61140:</b>            | III                        |
| <b>Suitable for lamp power:</b>                            | 2 W                        |
| <b>Max system power:</b>                                   | 2 W                        |
| <b>Effective luminous flux according to IEC 62722-2-1:</b> | 100 lm                     |
| <b>Specific luminous flux luminaire:</b>                   | 50 lm/W                    |



|                                   |        |
|-----------------------------------|--------|
| Color temperature:                | 3000 K |
| Color rendering index:            | 90-100 |
| Power factor:                     | 0.9    |
| Height/depth:                     | 350 mm |
| Diameter:                         | 120 mm |
| Operation via App:                | No     |
| Compatible with Apple HomeKit:    | No     |
| Compatible with Google Assistant: | No     |
| Compatible with Amazon Alexa:     | No     |
| Compatible with Casambi:          | No     |
| With IFTTT support:               | No     |