



PRODUCT DATASHEET | 41-204

MOTION SENSOR PIR INB. 230VAC 180GR 8-9M IP40

DESCRIPTION



SPECIFICATIONS

Brand:	Servodan
Product type:	Gong PIR
Model:	Motion Sensor
Constant light control:	No
HVAC control:	No
Forced shutdown:	Yes
Free animal zone:	Yes
Undercut protection:	Yes
Linkable to network:	Yes
Optimal mounting height:	2 m
Staircase controller:	No
Override switch:	No
Max. range sideways:	9 m
Max. range frontal:	9 m
Suitable for wireless:	No
Remote operation:	No
With remote control:	No
Call sensitivity adjustable:	No
Address brightness adjustable:	No
With signal unit:	No
Self-learning function for address clarity:	No
Dimming function with dimmer base element:	No
Mounting method:	Recessed (stucco)
Material:	Plastic
Material quality:	Other
Halogen-free:	Yes
Surface protection:	Untreated
Implementation surface:	Mat
Color:	White



RAL number (similar):	9016
Transparent:	No
Degree of protection (IP):	IP40
Voltage type:	AC
Frequency:	50 Hz
Nom. voltage :	230 V
Min. lag time:	60 s
Max. lag time:	30 min
Turn-off delay:	10 s
Angle range horizontal:	0 - 180 °
Address clarity:	10 - 1000 lx
Max. switching power:	250 W
Temperature:	-5 - 50 °C
Max. inrush current:	10 A
Input for auxiliary unit:	No
With alarm function:	No