



PRODUCT DATASHEET | 41-227

MOTION SENSOR PIR OPB. 230VAC 200GR/3-14M IP54



DESCRIPTION



SPECIFICATIONS

Brand:	Servodan
Product type:	Gong PIR
Model:	Motion Sensor
Constant light control:	No
HVAC control:	No
Forced shutdown:	No
Free animal zone:	Yes
Undercut protection:	Yes
Linkable to network:	No
Optimal mounting height:	2 m
Staircase controller:	No
Override switch:	No
Max. range sideways:	14 m
Max. range frontal:	14 m
Diameter range on floor:	14 m
Suitable for wireless:	No
Remote operation:	No
Call sensitivity adjustable:	No
Address brightness adjustable:	No
With signal unit:	No
Self-learning function for address clarity:	No
Dimming function with dimmer base element:	No
Mounting method:	Construction
Material:	Plastic
Material quality:	Other
Halogen-free:	Yes
Surface protection:	Untreated
Implementation surface:	Mat
Color:	Anthracite



Degree of protection (IP):	IP54
Frequency:	50 Hz
Nom. voltage :	230 V
Min. lag time:	6 s
Max. lag time:	12 min
Angle range horizontal:	0 - 200 °
Address clarity:	3 - 0 lx
Max. switching power:	2300 W
Temperature:	-20 - 40 °C
Max. inrush current:	10 A
Input for auxiliary unit:	No
With alarm function:	No