JACSKOOPMAN

PRODUCT DATASHEET | PWC163V

POWER SOLID PENDANT COUPLING 3-GANG GROUNDED IP54 BLACK









DESCRIPTION

Splashproof (IP54) pendant coupling, which is also heat and UV resistant. With three grounded contacts, equipped with (self-closing) hinged lids. These hinged lids can be rotated 360 degrees for proper protection. Includes cable gland, which serves as strain relief. Available in two color options: black and blue-black. - Splash-proof IP54 - For wires up to 3x2.5mm2 - With voltage indicator (red) - KEMA approval mark

SPECIFICATIONS

Brand:	Power
Product type:	Hanging Clutch
Housing form:	Other
Number of sockets with protective earth CEE 7/3 (type F):	3
With increased touch protection:	No
With on/off switch:	No
Ground Fault Circuit Interrupter:	No
Mains interference filter:	No
With glass fuse:	No
Surge Protector:	No
Overcurrent protection:	No
Nom. current :	16 A
With lid:	Yes
Material:	Plastic
Material quality:	Thermoplast
Surface protection:	Other
Implementation surface:	Mat
Color:	Black
Transparent:	No
Degree of protection (IP):	IP54
Mains connection version:	Plug CEE 7/4 (Type F)
Plug type:	Straight

DOWNLOADS AVAILABLE FROM WEBSITE

Certificates