




PRODUCT DATASHEET | KWH1043
PRO75D (10)100AMP 230V 1.6KIMP/KWH CLASS I 4TE





DESCRIPTION

1-phase DIN-rail, class I (up to 1%), electronic kWh meter with digital LCD (5+2) digit display.

Single rate, suitable for direct sub- or control metering, with backflow indication. Suitable for connection of up to 12mm² wires (SO up to 4mm²).





SPECIFICATIONS

Brand:	Inepro
Product type:	1 phase non-MID
Type of meter:	Electronic
Nom. current (In) :	10 A
Max current (Imax):	100 A
Nominal voltage (Un) N-L :	161 - 300 V
Frequency:	45 - 55 Hz
Accuracy class:	B
Pool type:	1-phase
Model:	Direct measurement
Energy type:	Work Capability
Suitable for:	Decrease
Rate implementation:	Single rate
Rate control:	Internal
Backstop:	Yes
Calibrated:	No
Approval:	National
Pulse output:	Electric
Pulse type:	S0
Pulse rate:	1000 - 1600 Imp/kWh (kvarh)
Type of indication:	Digital
Mounting method:	DRA (DIN rail adapter)
Width in module units:	4.2
Implementation of the interface:	No
EDL40 signature:	No
With locking code:	No
Number of positions total (counting):	7
Degree of protection (IP):	IP50