



PRODUCT DATASHEET | 309004

SAQ316H WORK SWITCH 3P+HC 16A/500V M25 IP65 FAST CONNECTION





DESCRIPTION

SAQ switch disconnecter/safety switch with quick connection. Years of development experience and innovative work are the basis for the next generation switch disconnecter/safety switches

SAQ. SAQ is a load disconnecter with quick connection designed to meet the market's needs and requirements for quick and safe installation.

SAQ Series load breakers feature a stylish, Swedish design and generous wiring space. They are made of uncompromising quality for long life and maximum ease of use. The benefits of a quick connection are numerous, but most importantly, it saves the installer money and time.

The switches are made of impact-resistant polycarbonate with a recess for 4 x cable wire M25, the entry through the rear membrane in soft material facilitates tight cable entry. As the mounting holes and gasket are also made of soft material, the enclosure has IP65 rating.



SPECIFICATIONS

Brand:	Norwesco
Product type:	Work switch
Design as a main switch:	No
Version as a working switch:	Yes
Design as a safety switch:	Yes
Version as an emergency stop device:	No
Number of switches:	1
Max. rated operating voltage Ue at AC :	500 V
Nom. continuous current Iu :	16 A
Switching capacity at 400 V:	7.5 kW
Number of poles:	3
Number of auxiliary contacts as break contacts:	1
Device construction form:	Complete device built into housing
Suitable for ground mounting:	No
Suitable for front mounting 4-hole:	Yes
Suitable for front mounting centrally:	Yes
Suitable for distributor installation:	Yes
Suitable for intermediate construction:	Yes
Control element color:	Gray
Implementation of the control element:	Short twist grip
Lockable:	No
Main circuit connection method:	Other
Degree of protection front (IP):	IP65
Width:	107 mm
Height:	129 mm
Depth:	62 mm