



PRODUCT DATASHEET | PWC316G

SOCKET MOUNTABLE 16A WITH CABLE GLAND 3-GANG IP54 GRAY/BLUE





DESCRIPTION

The Power Solid splash-proof and mountable socket is available in a 3-gang or 4-gang version, available in stylish black or gray with blue. Robustly built and certified to IEC 60884-1:2022.

With an IP54 rating, it is ideal for use in demanding environments. Raised sockets maintain splash resistance when using straight splash-proof plugs.

Connection has also been thought about: input through an M20 cable gland (included), suitable for cable input up to 2.5 mm² and equipped with a 180-degree rotatable cover for added convenience during installation.



SPECIFICATIONS

Brand:	Power
Product type:	Socket
Housing form:	Rectangular
Number of sockets with protective earth CEE 7/3 (type F):	3
With increased touch protection:	Yes
With on/off switch:	No
Ground Fault Circuit Interrupter:	No
Mains interference filter:	No
With glass fuse:	No
Surge Protector:	No
Overcurrent protection:	No
Nom. current :	16 A
Max. aansluitvermogen:	4000 W
With lid:	Yes
Material:	Plastic
Material quality:	Thermoplast
Color:	Gray
Degree of protection (IP):	IP54

DOWNLOADS AVAILABLE FROM WEBSITE

Certificate