



PRODUCT DATASHEET | IL-SOLFLO

SOLAR LED FLOODLIGHT 10W IP65 INCL. BATTERY AND SENSOR





DESCRIPTION

This solar-powered lamp is an eco-friendly and practical solution for outdoor lighting. To make the best use of the lamp, install it in a place where it can catch enough sunlight during the day. Make sure there are no shadows from trees, walls or other obstacles falling on the solar panel so that the lamp can charge its battery effectively. The built-in Li-ion battery is only partially charged during transport for safety reasons. Therefore, before first use, it is essential to fully charge the battery by exposing the lamp to direct sunlight for 5-6 hours. This ensures that the lamp functions properly and maintains a long lifespan. Please note that the lighting time may vary depending on the amount of sunlight the lamp receives during the day, as well as other weather conditions such as overcast or rain. Under ideal conditions, the lamp provides up to 12 hours of illumination after a full charge. If the battery runs out, the lamp will not operate until it is fully charged again by sunlight. An important tip: Do not point the light from the lamp at the solar panel. This may actually interfere with charging and cause the light to start flickering. Make sure the lamp is oriented in the correct direction to perform optimally. Please note that the battery of this lamp cannot be replaced. To prolong the life of the lamp, make sure the solar panel is kept clean and checked regularly for dirt or dust that may reduce efficiency. - Charging time: 5-6 hours direct sunlight. - Lighting time: Up to 12 hours, depending on sunlight and weather conditions. With these simple instructions, you can make the most of a reliable and durable light source for your outdoor space!



SPECIFICATIONS

Brand:	Interlight
Product type:	Floodlight
Suitable for surface mounting:	Yes
Suitable for flush mounting:	No
Suitable for wall mounting:	Yes
Suitable for pendulum suspension:	No
Suitable for ceiling mounting:	No
Suitable for truss mounting:	No
Suitable for pedestal/floor mounting:	Yes
Suitable for power rail mounting:	No
Suitable for clamp mounting:	No
Suitable for low voltage cable system:	No
Adjustability:	Swivel
Motion sensor/presence detector technology:	Other
With light sensor:	Yes
Lamp type:	LED not interchangeable
Suitable for number of light sources:	1
Lampholder:	Other
Housing material:	Plastic
Housing color:	Black
Material cover:	Plastic opal
Nom. voltage :	3.7 V

DOWNLOADS AVAILABLE FROM WEBSITE

Manual