



PRODUCT DATASHEET | 461036

SWITCH 2-POLE SURFACE-MOUNTED IP44 GRAY





DESCRIPTION

AquaBest switch 2-pole for surface mounting. Made of impact-resistant halogen-free thermoplastic in a modern dirt-resistant design. Splash-proof IP44. Maximum load of 10A. The products are made of self-extinguishing materials and meet the requirements of UL 94-V0 and IEC 60695-11-20.



SPECIFICATIONS

Brand:	Norwesco
Product type:	Switch
Circuit type:	Off switch 2x1-pole
Operating mode:	Rocker/Pusher
Composition:	Basic element with complete housing
Pressure surface switch:	No
Number of rockers:	1
Mounting method:	Construction
Attachment method:	Screw mount
With mounting plate:	No
Material:	Plastic
Material quality:	Thermoplast
Halogen-free:	Yes
Antibacterial treatment:	No
Surface protection:	Other
Implementation surface:	Mat
Color:	Gray
RAL number (similar):	7037
Suitable for protection degree (IP):	IP44
Nom. voltage :	230 V
Nom. (measuring) current :	10 A
Connection method:	Plug clamp
Switchgear width:	65 mm
Switchgear height:	80 mm
Switchgear depth:	45 mm
Compatible with Apple HomeKit:	No
Compatible with Google Assistant:	No
Compatible with Amazon Alexa:	No
With IFTTT support:	No



In accordance with UK Building Regulations Part M: No
