



PRODUCT DATASHEET | 172419PRO

TERMINAL DI1 J300 16A 230V 50/60HZ 36MM IP20







DESCRIPTION



SPECIFICATIONS

Brand:	Paladin
Product type:	Terminal JDi1 AC230 (300) 2TE
Mounting method:	DIN rail
Number of channels:	1
Supply voltage:	230 V
Power supply voltage type:	AC
Frequency supply voltage:	50 - 60 Hz
Autonomy in years:	10
Corridor accuracy per day:	0.5 s
Text guidance in the display:	Yes
60-minute program:	Yes
24-hour program:	Yes
Weekly Program:	Yes
Annual Program:	Yes
Vacation Program:	Yes
Impulse program:	Yes
Cycle Program:	Yes
Astro Program:	No
Coincidence Program:	Yes
Operating hour meter:	Yes
Net sync:	No
Quartz-controlled:	Yes
Radio-controlled:	Yes
Shortest switching time channel 1:	1 min
Number of memory locations:	300
Automatic summer/winter time changeover:	Yes
Manual:	Yes
External pressure contact input:	No
Preset switching:	No



Nom. switching current at 250V AC :	16 A
Potential-free switching contact:	Yes
Degree of protection (IP):	IP20
Width in module units:	2
Width:	35.8 mm
Height:	90 mm
Depth:	63 mm



ACCESSORIES

Article	Description
DKPRO	Terminal Pro data key Save 'n Carry
FU 20.00pro	DCF77 signal receiver 77.5 kHz. for Pro IP54

DOWNLOADS AVAILABLE FROM WEBSITE

Manual
