



PRODUCT DATASHEET | SC44.11PRO

TERMINAL DI1 W46 16A 230V AC 50/60HZ 72MM IP20





DESCRIPTION



SPECIFICATIONS

Brand:	Hugo muller
Product type:	WDi1 AC230 (46) Week 72mm
Mounting method:	Front mounting 72x72
Number of channels:	1
Supply voltage:	230 V
Power supply voltage type:	AC
Frequency supply voltage:	50 - 60 Hz
Autonomy in years:	10
Corridor accuracy per day:	0.5 s
Text guidance in the display:	Yes
60-minute program:	Yes
24-hour program:	Yes
Weekly Program:	Yes
Annual Program:	No
Vacation Program:	Yes
Impulse program:	Yes
Cycle Program:	No
Astro Program:	No
Coincidence Program:	Yes
Operating hour meter:	Yes
Net sync:	No
Quartz-controlled:	Yes
Radio-controlled:	No
Shortest switching time channel 1:	1 min
Number of memory locations:	30
Automatic summer/winter time changeover:	Yes
Manual:	Yes
External pressure contact input:	No
Preset switching:	No



Nom. switching current at 250V AC :	16 A
Potential-free switching contact:	Yes
Degree of protection (IP):	IP20
Width:	72 mm
Height:	94.5 mm
Depth:	53 mm

DOWNLOADS AVAILABLE FROM WEBSITE

Manual
