



**PRODUCT DATASHEET** | 270 42 425 100

TT 310.MD4.50KS315 50 M H07RN-F 3G1.5 IP54







## DESCRIPTION

With a 50-meter range, four outlets, and extra overload protection, the Titan TT 310.MD4.50KS315 keeps power safely and conveniently within reach anywhere in the workplace.

The reel comes with 50 meters of H07RN-F 3G1.5 cable and four power outlets, so you can connect multiple devices without having to keep switching outlets. The built-in overcurrent switch provides extra protection in case of an overload.

Thanks to its IP54 rating, the cable reel is protected against dust and splashing water. The reel is designed for practical use, ensuring that it stands securely while still being easy to move.



## SPECIFICATIONS

|                                                           |                             |
|-----------------------------------------------------------|-----------------------------|
| Brand:                                                    | Otto Schill                 |
| Product type:                                             | TT 310.MD4.50KS315          |
| Housing material:                                         | Plastic                     |
| Cable supply:                                             | H07RN-F                     |
| Vein cross section:                                       | 1.5 mm <sup>2</sup>         |
| Number of cores:                                          | 3                           |
| Number of sockets with protective earth CEE 7/3 (type F): | 4                           |
| Cable length:                                             | 50 m                        |
| Support frame:                                            | Yes                         |
| Automatic cable roll-up:                                  | No                          |
| With thermal protection:                                  | Yes                         |
| Security:                                                 | Overcurrent Circuit Breaker |
| Degree of protection (IP):                                | IP54                        |
| Color:                                                    | Gray                        |